

Table 3A

Cancer Incidence in Census Tract 3662 Wayland, MA 1982-1992

Cancer Type	Total				Male				Female			
	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI	Obs	Exp	SIR	95% CI
Bladder	12	14.5	83	43--145	11	11.1	98	49--176	1	3.3	NC	NC
Breast	58	54.6	106	80--137	0	0.4	NC	NC	58	54.2	107	81--138
Hodgkin's	2	2.9	NC	NC	1	1.6	NC	NC	1	1.3	NC	NC
Kidney	6	8.0	75	27--163	3	5.3	NC	NC	3	1.3	NC	NC
Leukemia	8	6.4	126	54--248	3	3.9	NC	NC	5	2.5	203	65--474
Liver	2	1.6	NC	NC	1	1.2	NC	NC	1	0.4	NC	NC
Lung	32	50.8	63 *	43--89	20	33.3	60 *	37--93	12	17.4	69	36--120
NHL	8	11.2	71	31--140	2	6.4	NC	NC	6	4.8	125	46--273
Pancreas	8	6.9	116	50--229	7	3.8	184	74--379	1	3.1	NC	NC
Stomach	4	7.0	NC	NC	3	4.8	NC	NC	1	2.2	NC	NC

Notes:

Expected number of cases presented are rounded to the nearest tenth. SIRs are calculated based on the exact number of expected cases.

SIRs and 95% Confidence Interval are not calculated when fewer than 5 cases are observed.

Obs = Observed number of cases Exp = Expected number of cases SIR = Standardized Incidence Ratio NC = Not Calculated

NHL = non-Hodgkin's Lymphoma Lung = Lung and Bronchus 95% CI = 95% Confidence Interval * Indicates statistical significance (P<.05)